

# Ambient Intelligent Systems

## The Role of Non-Intrusive Approaches

Paulo Novais<sup>1</sup>, Davide Carneiro<sup>1,2</sup>, Filipe Gonçalves<sup>2</sup> and José Miguel Pêgo<sup>3,4</sup>

<sup>1</sup>Algoritmi Centre/Department of Informatics, University of Minho, Braga, Portugal

<sup>2</sup>CIICESI, ESTG, Polytechnic Institute of Porto, Felgueiras, Portugal

<sup>3</sup>Life and Health Sciences Research Institute (ICVS), School of Medicine, University of Minho, Braga, Portugal

<sup>4</sup>ICVS/3B's - PT Government Associate Laboratory, Braga/Guimarães, Portugal

**Keywords:** Ambient Intelligence, Human-Computer Interaction, Stress Detection, Emotion Classification.

**Abstract:** There is currently a significant interest in consumer electronics in applications and devices that monitor and improve the user's well-being. This is one of the key aspects in the development of ambient intelligence systems. Nonetheless, existing approaches are generally based on physiological sensors, which are intrusive and cannot be realistically used, especially in ambient intelligence in which the transparency, pervasiveness and sensitivity are paramount. We put forward a new approach to the problem in which user behavioral cues are used as an input to assess inner state. This innovative approach has been validated by research in the last years and has characteristics that may enable the development of true unobtrusive, pervasive and sensitive ambient intelligent systems.

## 1 INTRODUCTION

Ambient Intelligence, as many other terms that fall under the Artificial Intelligence umbrella, are nowadays more or less well-known in the society, as well as its technological potential (Carneiro et al., 2008; Costa et al., 2007; Carneiro and Novais, 2014; Anacleto et al., 2014; Carneiro et al., 2008). At the time of the coining of the term, in 1998, it was viewed as a significant change in consumer electronics, from a paradigm in which interesting features were scattered and fragmented in independent devices, towards a new reality in which these features would be readily available, in the form of services, regardless of device or location.

Several characteristics or traits are necessary to implement this new vision, summarized by (Cook et al., 2009): sensitivity, responsiveness, adaptiveness, transparency, ubiquity, and intelligence. Some of these characteristics depend on technological evolution. For instance, *ubiquity* and *transparency* depend on advances in pervasive computing. *Intelligence* depends, mostly, on contributions of certain fields of Artificial Intelligence. If the question is now on what the *sensitivity* characteristic depends, the logical answer is that it depends on advances in sensors and sensor networks.

To some extent, this answer is correct. However, if that is the whole answer, we are clearly reducing the problem. In fact, evolution in this aspect is not only dependent on smaller, cheaper or more reliable or connected sensors. Moreover, one should not only consider the so-called hard sensors (traditional sensors, in the physical sense, made of specifically designed hardware). Evolution may also come from the so-called soft sensors: virtual (software-based) sensors, especially useful in data fusion, where measurements of different characteristics and dynamics are combined.

In fact, from a human-centered perspective, *sensitivity* may involve aspects as complex and diverse as our level of stress, our level of fatigue, our state of arousal or our emotional state, just to name a few. All this information is very important for an AmI system, especially one that is sensitive, responsive and adaptive. And, there are nowadays approaches to acquire this information. These approaches, which we deem as "traditional" are based on physiological sensors (e.g. electrodermal activity, heart rate, respiratory rate, electroencephalography) and are very accurate. They are, however, and most of the times, impracticable. Especially because they cannot be realistically used to acquire the necessary information: no users will walk around continuously connected to a

number of sensors so as to have an application that can monitor their state during the day.

On the other hand, questionnaires have also been frequently used to assess people's state, mostly by psychology. There are many such instruments, validated and with many practical uses. However, one again, these are not suitable for implementing an AmI system.

In this paper we argue that the path to overcome this challenge may be a new approach based on behavioral biometrics: one that is non-intrusive, fully integrates the main characteristics of AmI. Specifically, we propose a technological framework that is able to capture, store and process large amounts of data about users of intelligent environments, and that uses this data to produce high-level features describing their behavior (Novais and Carneiro, 2016). This high-level information, when contextualized, can lead to very interesting insights into the individuals' decisions and actions. In Section 2 we describe this approach in more detail. In Section 3 we detail the technological framework that makes it possible. Finally, in Section 4 we describe three real-life scenarios in which this approach is currently being used, to study different aspects of Human behavior.

## 2 A NEW APPROACH

In the last years, we have been working on a different approach on data acquisition that we expect may support the development of *real* AmI systems, in the sense that they can simultaneously be *sensitive* and *transparent*. That is, AmI systems in which the user is constantly being monitored but in a way that is completely non-intrusive and transparent. Ultimately, the user forgets about the monitoring and notices only the environment's contextualized actions.

This new view on the problem is based on Behavioral Analysis (Turaga et al., 2008). Here, everything the user does (e.g. interactions with devices, movement patterns, interactions with other users) can be used as a potential input. Moreover, one can consider not only what the user does but *how* the user does it.

In fact, our behaviors are commonly associated with our inner states. We look at someone who is restless, biting the nails or fiddling and we instantly know that the person is nervous or stressed. The fact is that, in an interaction, our behaviors often give away more information than the words we use. And we, as humans, have evolved to collect this information to, even in an unconscious way, better understand the state of the other individual. This information is actually paramount for the efficiency of the communica-

tion process (Dennis and Kinney, 1998).

The challenge thus lies in developing ways to acquire this information and use it as a way to perceive the user's inner state. As will be detailed in Section 4, many of our behaviors can be used as input to classify our state. Namely, the way we type in a keyboard, the way we move the mouse or the way we hold or touch our smartphone. While one of these features may not be enough to accurately describe the user's state, their combined use may constitute a reliable source of information.

The main advantage of this approach is, undoubtedly, that it can be used continuously throughout the day, without interfering with the users' routines. It is transparent, non-intrusive and pervasive. It allows for behavioral models to be trained in short time frames that allow to know one's frequent behaviors when in neutral states as well as in specific states. These models can be dependent on many variables (that can also be acquired by the environment) including geographical, social or historic context.

There is a significant opportunity in the development of methods for the acquisition of behavioral data. First of all, there is the possibility of learning how we behave as individuals and as a group in certain situations and in certain states. From a crowdsourcing point of view, it could be used to measure the state of the society at different levels or granularity. For example, it could be used to monitor in which parts of a city people are more stressed (e.g. a specific neighborhood) in order to improve it. It could also be used to track changes in people's states over long periods of time. Similar initiatives could be implemented at a personal level (e.g. personal monitoring applications) or at an organizational level (e.g. tracking the fatigue of employees) as we are currently doing.

This knowledge, by itself, can be very important to understand ourselves and each other. However, true opportunities lay in what we can do with this information. In a few words, the opportunity in these new approaches is, in our opinion, the opportunity to implement true AmI systems, in the sense that there are no visible sensors, no wires, no hardware, no intrusion. True also in the sense that they can be always on, always monitoring, always acting accordingly.

## 3 TECHNOLOGICAL FRAMEWORK

The approach described in Section 2 is made possible through the integration of several technologies, that can be organized in four logical layers, depicted in Figure 1.

The bottom-most layer comprises the Client applications. These include data-generating devices and visualization applications. Visualization applications provide graphical tools to interpret the collected data, facilitating its analysis and interpretation. Data generating devices, on the other hand, are the devices that the users interact with and that generate relevant data. These include personal computers, smartphones and tablets, depending on the type of data being collected and the purpose of the intervention, as described in Section 4. Moreover, two different types of data are collected: Behavioral Data and Operational Data. Behavioral Data describes the behavior of the user while interacting with the device. This includes events that describe the interaction with the peripherals or with the screen, that is later used to compute interaction the features. On the other hand, Operational Data describe events specific to the task that the user is carrying out. Depending on the context, this can include a student answering a question in an exam (as detailed in Section 4.1) or a worker switching focus to a different application (Section 4.2). These two types of data, when collected together, allow for interesting insights into the individuals' state, describing in a rich manner the context of the decisions or the behavior.

The second layer is dedicated to the storage of the raw data collected as well as of the processed data. Raw data can be stored both in files or in a database, depending on its source: there are data generating devices that write directly in the database while others, due to some constraints, produce files that are then uploaded into the system. Processed data results from the processing and transformation of the raw data into behavioral and operation features (carried out in the upper layer) such as Mouse Velocity, Writing Rhythm, Key Latency or Touch Intensity, as detailed in (Carneiro and Novais, 2017).

The third layer is responsible for the processing of the raw data and its transformation into meaningful features. This layer takes as input the raw data (operational and behavioral) describing the interaction events of the users with the devices and produces high-level features that allow to interpret the users' actions throughout time.

Finally, the topmost layer is responsible for the processing of the high level features (generated in the lower layer). To this end, statistic and machine learning techniques are used. This layer provides insights into the data that would otherwise be impossible (e.g. how does a stressed student behave during an online exam?; how does an individual's performance vary during a workday). These insights point out potentially interesting paths that are then investigated further, namely through machine learning techniques, al-

lowing the training of models that can be used in real time to classify human behavior, as described in Section 4.




Figure 1: Four main layers of the technological framework that supports this approach.

## 4 PRACTICAL APPLICATIONS

### 4.1 Student Long-term Monitoring

In the last years, this approach has been used to monitor students throughout the academic year. Data is collected from the students' interaction with their personal or institutional computers over the academic year and in specific moments such as high-stakes computer-based exams. This allows to characterize their baseline behavior as well as their behavior in scenarios such as specific classes or high-stakes exams. In this research line we have been specifically studying student attention and stress.

Attention is measured based on the student's use of the computer: the activity level and the applications used (Durães et al., 2017). The computation of the activity level is based on the interaction features mentioned in Section 3, namely on mouse velocity, number of clicks and typing rhythm. The other important aspect for computing attention is the application that the student is interacting with, at any given moment.

To this end the teacher, who is also the end-user of this system, indicates the group of applications that are included in each class. This information is then transformed into a list of regular expressions that are used to filter the applications used by the students as belonging or not to the class. The system thus measures the percentage of time spent by each student in class-related applications and, together with the level of activity during those periods, computes the level of

attention. This information is provided to the teacher in real-time, enabling real-time decisions on how to steer the class or on which students to focus, if necessary.

Specifically, the teacher can see information by class, by student or group of students and over different periods of time. All this information may be very valuable for the teacher to improve teaching methodologies, class content and, in the overall, student's results.

This same approach is also being used to monitor the effect of stress on Human-Computer Interaction (Carneiro et al., 2015). Specifically, in the context of the EUSTRESS project<sup>1</sup>, the goal is to find a relationship between interaction features and stress markers, so that a non-intrusive stress classification tool can be developed for this specific domain. Such a tool will point out those students that have poorer stress coping skills, eventually allowing for the teacher or the institution to provide these students with guided or personalized training in this regard.

It has been long established that there is a relationship between Human performance and stress (Driskell and Salas, 2013), although this relationship depends on the individual's characteristics and state, the context, among other factors. In this line of research we combine variables that describe the student's interaction performance with the computer, exam results and exam behavior (e.g. doubts, correct decisions, flagged questions) in order to characterize each student in each exam and provide valuable information for the teacher.

Figure 2 depicts the evolution the values of 9 interaction features for a specific student in an high-stakes exam. It clearly shows how the performance of this student continuously improves throughout the exam, through a constant decrease in variables such as Time Between Clicks (which denotes the time between decisions), Click Duration (denoting faster clicks) or a more efficient movement of the mouse (evidenced through features such as Avg. Dist. pointer to line or Avg. Excess of Dist. Between Clicks). In this specific case, there is an evident performance improvement throughout the exam. However, not all students behave like this and not all students behave the same throughout their term or their course. In that sense, this kind of information may be very useful not only for the teacher or the institution to better know their students, but also to allow them to intervene in more efficient ways regarding stress coping strategies.

---

<sup>1</sup>The website of EUSTRESS is available at <http://www.eustress.pt/>

## 4.2 Performance Monitoring

The relationship between fatigue (e.g. mental, physical) and human performance has also been studied thoroughly in the past decades (Goel et al., 2013). In that sense, the proposed approach has been used to contribute to this study, namely to assess the relationship between interaction performance and fatigue.

To this end, a specific application was developed that continuously monitors a computer user's interaction patterns throughout the workday. The environment described in Section 3 builds a model of each user's interaction patterns, which may include user's input quantifying fatigue in different moments of the day. Fatigue is quantified using the USAFSAM 7 point fatigue scale. This model shapes the relationship of interaction performance with mental fatigue, allowing the classification and monitoring of the latter, in real-time. Figure 3 shows the typical behavior of two interaction features under different levels of fatigue: mouse acceleration tends to decrease when fatigue increases (indicating a slower movement of the mouse) while keystroke latency tends to increase (indicating a slowing typing in the keyboard).

This resulted in the development of an application for real-time fatigue management, that can be used either by single individuals or by team managers. It reveals each individual's current state as well as each one's daily rhythms and best/worst moments. Over time, it allows a better management of the workforce based on these insights.

## 4.3 Emotion Perception

On a slightly different field of application, this approach has been also applied to improve auditory and visual emotion perception studies. Auditory emotion recognition refers precisely to the ability of a listener to infer emotion from sounds in the environment, including the voice. Visual emotion perception, on the other hand, refers to the ability to recognize emotions in visual stimuli such as photos.

When studying emotion recognition (visual or auditory), the standard perception paradigm is to have listeners choose which one of several emotion words best characterizes pictures or linguistically neutral utterances (or nonverbal vocalizations) made by actors attempting to portray various emotions (Bachorowski, 1999; Lima et al., 2013). In addition, listeners may be asked to classify stimuli in several dimensions, such as its valence (a continuum ranging from 'unpleasant' to 'pleasant'), arousal (from 'calm' to 'arousing'), and dominance (from 'controlled' to 'in control') (Bradley and Lang, 1994).




Figure 2: Evolution of student performance, described by 9 interaction features, during an high-stakes exam.




Figure 3: Interaction performance decreases (smaller mouse acceleration and longer keystroke latency) with higher levels of fatigue.

Traditional approaches involve setting up the experimental trials, as well as controlling for stimulus presentation and timing through software such as Presentation<sup>2</sup> (Neurobehavioral Systems, Inc., Albany, CA, USA) or Superlab<sup>3</sup> (Cedrus, San Pedro, CA). The few measures that are often the focus of those studies (e.g. accuracy rates, reaction time) are usually obtained by recording the participants' responses di-

<sup>2</sup>Presentation is a stimulus delivery and experimental control program typically used in neuroscience and behavioural research. <https://www.neurobs.com/>

<sup>3</sup>Superlab is an environment for setting-up and running experimental studies, providing accuracy and reaction time measures. <http://www.superlab.com/>

rectly via the software, or by using a paper-and-pencil approach.

In this approach we are enriching this kind of instruments by incorporating new variables and improving the data collection procedure. The participant now interacts with a mobile application to provide feedback about the auditory stimuli. To do so, the participant selects which one of several emotion words (arranged in buttons and set by the expert when defining the study) best characterizes the emotion conveyed by the stimulus. The participant also classifies the valence, authenticity and intensity of the emotion that was expressed. This constitutes the operational information. However, in parallel, the system is collecting

behavioral data that generates features such as touch intensity, touch area, touch duration, among others, which characterize the participant's interaction with the tablet. This allow to study, in parallel, emotion perception and interaction patterns, with a significant potential to hold new interesting variables and new markers for cognitive impairments.

As an example, Figure 4 details how touch intensity varies for a male participant according to the emotion conveyed by the stimulus. It is interesting to note that, for this participant, touches that happened during stimulus that conveyed fear were far less intense than touches conveying relief. In that sense, this work allows to understand how emotions affect each individual's interaction with the device, with interesting potential applications, namely in the development of affective applications or devices. This approach also reveals inter-individual differences at other levels. Figure 5, for example, shows statistically significant differences in interaction patterns with a tablet between men and women (Kolmogorov-Smirnov test,  $p$ -value  $< 2.2^{-16}$ ). This approach is thus contributing with new and interesting variables, both for the study of emotion recognition and Human-computer Interaction.




Figure 4: Touch intensity immediately after hearing each type of stimulus for one of the participants.

## 5 CONCLUSIONS

In this paper we detailed the development of a behavioral-approach to Ambient Intelligence. Indeed, it is our belief that the path to developing true sensitive and transparent Aml systems lies in the collection and use of data in a non-intrusive way. Data collected




Figure 5: Distribution of touch intensity by gender, differences are statistically significant (Kolmogorov-Smirnov test,  $p$ -value  $< 2.2^{-16}$ )

this way will not only be more abundant as there are not barriers to its collection (as happens when people use sensors or other devices that change daily routines) but also more true, as people's behavior or routines will not be affected by the presence of sensors or other devices.

In the description of three practical applications that are now being carried out, we have shown how all them may reveal very interesting insights about people, and about the relationship between their behaviors and their actions. The access to this information may not only allow us to better know ourselves but also provide us with the knowledge to improve our daily living: improve our stress coping mechanisms, improve our work rhythms, or develop more sensitive devices and environments.

## ACKNOWLEDGEMENTS

This work was developed in the context of the project EUSTRESS – Information System for the monitoring and evaluation of stress levels and prediction of chronic stress part-funded by ERDF–European Regional Development Fund and by National Funds through the FCT–Portuguese Foundation for Science and Technology within project NORTE-01-0247–FEDER-017832. The work of Filipe Gonçalves is supported by a FCT grant with the reference ICVS-BI-2016-005.

## REFERENCES

Anacleto, R., Figueiredo, L., Almeida, A., and Novais, P. (2014). Mobile application to provide personalized

sightseeing tours. *Journal of Network and Computer Applications*, 41:56–64.

- Bachorowski, J.-A. (1999). Vocal expression and perception of emotion. *Current directions in psychological science*, 8(2):53–57.
- Bradley, M. M. and Lang, P. J. (1994). Measuring emotion: the self-assessment manikin and the semantic differential. *Journal of behavior therapy and experimental psychiatry*, 25(1):49–59.
- Carneiro, D., Costa, R., Novais, P., Neves, J., Machado, J., and Neves, J. (2008). Simulating and monitoring ambient assisted living. In *Proceedings of the ESM*, pages 175–182.
- Carneiro, D. and Novais, P. (2014). New applications of ambient intelligence. In *Ambient Intelligence-Software and Applications*, pages 225–232. Springer.
- Carneiro, D. and Novais, P. (2017). Quantifying the effects of external factors on individual performance. *Future Generation Computer Systems*, 66:171–186.
- Carneiro, D., Novais, P., Pêgo, J. M., Sousa, N., and Neves, J. (2015). Using mouse dynamics to assess stress during online exams. In *International Conference on Hybrid Artificial Intelligence Systems*, pages 345–356. Springer, Cham.
- Cook, D. J., Augusto, J. C., and Jakkula, V. R. (2009). Ambient intelligence: Technologies, applications, and opportunities. *Pervasive and Mobile Computing*, 5(4):277–298.
- Costa, R., Novais, P., Machado, J., Alberto, C., and Neves, J. (2007). Inter-organization cooperation for care of the elderly. In *Integration and Innovation Orient to E-Society Volume 2*, pages 200–208. Springer.
- Dennis, A. R. and Kinney, S. T. (1998). Testing media richness theory in the new media: The effects of cues, feedback, and task equivocality. *Information systems research*, 9(3):256–274.
- Driskell, J. E. and Salas, E. (2013). *Stress and human performance*. Psychology Press.
- Durães, D., Carneiro, D., Jiménez, A., and Novais, P. (2017). Characterizing attentive behavior in intelligent environments. *Neurocomputing*.
- Goel, N., Basner, M., Rao, H., and Dinges, D. F. (2013). Circadian rhythms, sleep deprivation, and human performance. *Progress in molecular biology and translational science*, 119:155.
- Lima, C. F., Castro, S. L., and Scott, S. K. (2013). When voices get emotional: a corpus of nonverbal vocalizations for research on emotion processing. *Behavior research methods*, 45(4):1234–1245.
- Novais, P. and Carneiro, D. (2016). The role of non-intrusive approaches in the development of people-aware systems. *Progress in Artificial Intelligence*, 5(3):215–220.
- Turaga, P., Chellappa, R., Subrahmanian, V. S., and Udrea, O. (2008). Machine recognition of human activities: A survey. *Circuits and Systems for Video Technology, IEEE Transactions on*, 18(11):1473–1488.

## BRIEF BIOGRAPHY

Paulo Novais is an Associate Professor with Habilitation of Computer Science at the Department of Informatics, in the School of Engineering of the University of Minho (Portugal) and a researcher at the ALGORITMI Centre in which he is the coordinator of the research group ISlab - Synthetic Intelligence, and the coordinator of the research line in “Ambient intelligence for well-being and Health Applications”.

He is the director of the PhD Program in Informatics and co-founder and Deputy Director of the Master in Law and Informatics at the University of Minho. He started his career developing scientific research in the field of Intelligent Systems/Artificial Intelligence (AI), namely in Knowledge Representation and Reasoning, Machine Learning and Multi-Agent Systems.

His interest, in the last years, was absorbed by the different, yet closely related, concepts of Ambient Intelligence, Ambient Assisted Living, Intelligent Environments, Behavioural Analysis, Conflict Resolution and the incorporation of AI methods and techniques in these fields.

His main research aim is to make systems a little more smart, intelligent and also reliable.

He has led and participated in several research projects sponsored by Portuguese and European public and private Institutions and has supervised several PhD and MSc students. He is the co-author of over 250 book chapters, journal papers, conference and workshop papers and books.

He is the president of APPIA (the Portuguese Association for Artificial Intelligence) for 2016/2017, Portuguese representative at the IFIP - TC 12 - Artificial Intelligence chair of the Working Group on Intelligent Agent (WG12.3), and member of the executive committee of the IBERAMIA (IberoAmerican Society of Artificial Intelligence).

During the last years he has served as an expert/reviewer of several institutions such as EU Commission and FCT (Portuguese agency that supports science, technology and innovation).