

Unraveling Urban Traffic Congestion Patterns in Bangladesh

Md. Babul Hasan¹^a and Manash Sarker² ^b

¹*Faculty of Computer Sc. and Engr., Patuakhali Sc. and Tech. University, Dumki, Patuakhali, Bangladesh*

²*Institute of Information Technology, University of Dhaka, Dhaka, Bangladesh*


Keywords: Traffic Patterns, Seasonal Components, Trend Components, Hierarchical Clustering, Dynamic Time Warping (DTW).


Abstract: This research presents a comprehensive study on divisional traffic analysis and clustering in Bangladesh, leveraging Google Maps and image processing techniques for traffic intensity data collection across all divisions from January 2023 to June 2023. A total of 1,39,008 snapshots were captured at 15-minute intervals, yielding a detailed traffic dataset. We conducted an in-depth analysis of the collected time series data, focusing on its decomposition into trend, seasonal, and random components ($Y = T * S * R$). To enhance clustering accuracy, we proposed a modification technique by dividing traffic intensity (Y) by the random fluctuations (R) to minimize random noise in the data preprocessing stage. We implemented Modified Hierarchical Clustering with Dynamic Time Warping (DTW) for clustering, demonstrating superior similarities-pattern extraction compared to traditional hierarchical clustering. Our results identified four distinct traffic clusters. This study provides insights into regional traffic behaviors and offers a robust approach to clustering traffic data, contributing to Bangladesh's more effective traffic management strategies.

1 INTRODUCTION

Bangladesh is facing rapid growth in urbanization and motorization, which combine to cause severe traffic congestion in urban areas of the country. The scenario has worsened over the last ten years due to the rapid increase in vehicles and insufficient roads to accommodate them (Mahmud et al., 2012). Traffic congestion is a critical problem for a highly populated country like Bangladesh, where it causes traffic delays, waste of time, and an increase in vehicle emissions and fuel usage, leading to environmental and health problems. Bangladesh has gradually shifted from infectious to non-communicable diseases and injuries in the past few years (TRL et al., 2004). Limited resources invested for the development of transport facilities, the rapid population growth together with limited space available for new roads, coupled with the rapid rise in transport demand, the existence of a vast number of non-motorized vehicles on roads, and the lack of application of adequate and proper traffic management schemes are producing severe transport problems in almost all the urban areas of Bangladesh (Ali et al., 2023). Urban traffic congestion is a global

issue, with local characteristics that affect a city's transportation system and people's everyday lives. Understanding and detecting congestion on different roads or areas of a city is very crucial for taking initiatives to reduce traffic congestion. Identification of various congestion patterns in a city is a necessary input for traffic management policy or systems. This includes developing more advanced traffic information systems to inform drivers about road conditions, pricing initiatives, and policy-making. Yet there are few works on predicting large-scale spatiotemporal patterns, and even fewer on predicting specific abnormal events such as traffic congestion, despite the interest from transportation researchers and practitioners. Machine learning and data mining have recently become critical methodological drivers for transportation research. Yet, there is still a lack of consensus on the best methods to use in many urban transportation contexts, and few studies have rigorously evaluated a range of methods. Our research aims to fill this gap by testing various machine learning methods for spatiotemporal prediction of urban traffic congestion in Bangladesh. This paper presents a novel approach to traffic congestion analysis in Bangladesh using a hierarchical clustering method combined with Dynamic Time Warping (DTW) for time-series data analysis.

^a <https://orcid.org/0009-0001-9953-4584>

^b <https://orcid.org/0009-0009-9622-8352>

Our primary contributions are as follows:

- We compiled a comprehensive dataset containing over 139,000 traffic snapshots collected from all divisions of Bangladesh over six months (January 2023 to June 2023) using Google Maps and image processing techniques.
- A data modification method was proposed to enhance clustering accuracy by eliminating random noise from the traffic intensity data, thereby improving the quality of the clustering process.
- We employed a modified hierarchical clustering algorithm, using DTW as the distance metric instead of traditional Euclidean distance. This approach significantly improved the alignment of traffic patterns over time, capturing similarities between traffic patterns.

This research offers insights into regional traffic patterns and provides a framework for more effective traffic management strategies. It enables urban planners to design tailored congestion mitigation policies for different areas of Bangladesh. This study integrates advanced clustering techniques with spatiotemporal analysis, offering a nuanced understanding of traffic congestion in rapidly urbanizing contexts like Bangladesh.

2 RELATED WORK

Urban traffic congestion has been extensively studied due to its significant impact on transportation efficiency, economic costs, and quality of life. Researchers have employed various data-driven and machine-learning methodologies to analyze and manage traffic congestion patterns, aiming to develop effective strategies for urban traffic management. Xiong introduced an innovative method using Dynamic Time Warping (DTW) to detect spatiotemporal propagation patterns of traffic congestion (Xiong et al., 2023). Analyzing fine-grained vehicle trajectory data reveals how localized congestion events can propagate across road networks, providing new insights for managing urban traffic systems. Similarly, Chen employed taxi trajectory data to model the spread of traffic congestion across neighboring road segments, offering a method for anticipating and mitigating congestion through effective traffic control measures (Chen et al., 2018). Zang applied a self-organizing map (SOM) to cluster traffic congestion patterns based on the Traffic Performance Index (TPI) in Beijing (Zang et al., 2023). The study identified specific congestion patterns for weekdays, weekends, and holidays, providing a temporal perspective on

traffic management and policy planning. Kanchanamala explored Hadoop-based hierarchical clustering for large-scale traffic data analysis, demonstrating how big data analytics can improve the scalability and efficiency of traffic monitoring and management in megacities (Kanchanamala et al., 2016). Ambühl further contributed by analyzing macroscopic fundamental diagrams (MFDs) to track urban traffic rhythms over time, providing insights into long-term traffic management strategies (Ambühl et al., 2021). Wang proposed a Spatio-Temporal Non-Negative Matrix Factorization (ST-NMF) approach to address the challenges of analyzing noisy, high-dimensional data in large-scale urban networks (Wang et al., 2021). ST-NMF enhances traffic data reconstruction and predicts future traffic states by decomposing traffic states into spatial and temporal patterns. This approach provides a robust framework for managing intelligent transportation systems through a clearer understanding of spatio-temporal traffic dynamics. Akbar conducted a comprehensive analysis of traffic speeds in 1,200 cities across 152 countries, revealing that cities in more affluent countries tend to have faster travel speeds due to their larger urban areas and more extensive road infrastructure (Akbar et al., 2023b). The study found that uncongested speed, rather than congestion reduction, is the primary driver of faster travel speeds in wealthier countries. This finding underscores the importance of infrastructure investment in improving urban mobility. Li employed a weighted K-means clustering method to analyze traffic congestion patterns in Beijing, focusing on the effects of urban policies such as vehicle license plate restrictions (Li et al., 2023). Their study illustrates the potential of big data analytics for identifying spatial and temporal congestion patterns across different city districts, contributing valuable insights for traffic management strategies. Akbar investigated traffic congestion in Indian cities using simulated trip data, finding that uncongested speed plays a more significant role than congestion in determining travel speed differences across cities (Akbar et al., 2023a). This challenges conventional beliefs that traffic management efforts should focus primarily on reducing congestion instead of emphasizing the need for infrastructure development. In the context of Bangladesh, our study builds upon these methodologies by employing a hierarchical clustering approach combined with Dynamic Time Warping (DTW) to analyze urban traffic patterns. This research collected traffic intensity data using Google Maps data and image processing techniques across all divisions of Bangladesh, identifying four distinct traffic clusters. By enhancing the clustering accuracy with a noise reduction technique,

the study provides a robust approach to understanding regional traffic behaviors. It contributes valuable insights for more effective traffic management strategies in Bangladesh.

3 METHODOLOGY

3.1 Data Collection Strategy

Traffic intensity data were collected from all divisions in Bangladesh using a Google Maps data and image processing system. The data acquisition process involved capturing traffic snapshots at 15-minute intervals, leading to a comprehensive dataset of 1,39,008 snapshots. To capture traffic conditions across all divisions in Bangladesh, we employed a systematic data collection approach using GPS-enabled imaging technology.



Figure 1: Traffic Snapshot.

The process began with capturing snapshots of traffic using Google Maps to obtain geolocated images of roads under study, as shown in Fig. 1. To ensure that only the relevant portions of the road were analyzed, each image was cropped to a standardized size of 940x1440 pixels, focusing on the areas most pertinent to traffic flow and intensity.

A color masking technique was then applied to isolate traffic-related elements. Red, yellow, and green were highlighted, representing varying levels of traffic intensity, while all other colors were converted to black. This step effectively emphasized traffic density and flow information in Fig. 2.

Then, the images were subsequently divided into smaller segments in Fig. 3 using a grid-based approach, splitting each image into 3,384 grid cells of 20x20 pixels each, facilitating more granular analy-




Figure 2: Masked Image.




Figure 3: Image splitted to grid.

sis. Each grid cell's traffic intensity was determined based on the dominant color, assigning values Red = 3, Yellow = 2, Green = 1, and Black = 0. The overall traffic intensity of each snapshot was computed by summing the intensity values across all grid cells.

This method allowed us to quantify and analyze traffic patterns systematically, creating a comprehensive dataset that accurately reflects traffic conditions across the targeted regions. This approach provides detailed temporal resolution, capturing the variability and complexity of traffic conditions across Bangladesh.

3.2 Time Series Analysis and Modification

The collected time series data were analyzed using Harvey's multiplicative formula $Y = T \times S \times R$ (Harvey, 1990). Y represents traffic intensity, T denotes the trend component, S signifies the seasonal component,

and RR accounts for random fluctuations(Zhao and Hu, 2019). This decomposition allowed for a detailed examination of the underlying patterns in the traffic data, distinguishing systematic changes from irregular variations.




Figure 4: Traffic intensity with random fluctuation.

A novel data modification approach was introduced to enhance clustering accuracy. This involved dividing the observed traffic intensity (Y) by the random component (R), effectively minimizing the impact of random noise on the data.




Figure 5: Fluctuation reduced after data modification.

Since random fluctuations occur unpredictably, they behave like outliers within the traffic pattern, obscuring the true underlying trends and seasonal variations, as shown in Fig. 4. Treating these random changes as outliers and reducing their impact in Fig. 5 and made it easier to see the consistent traffic patterns, which improved the clustering process.

3.3 Modified Hierarchical Clustering with DTW

Hierarchical clustering is a cluster analysis technique that constructs a hierarchy of clusters. It is a widely utilized tool in data analysis to group and distinguish similar data points from dissimilar ones. This approach organizes data into clusters of homogeneous variables. Each data point is sequentially merged or split in hierarchical clustering, creating nested clusters forming a tree-like structure, visually representing the data's inherent grouping patterns(Kanchanamala et al., 2016).

In this study, we employed Modified Hierarchical Clustering with Dynamic Time Warping (DTW)

as the distance metric instead of the traditional Euclidean distance as shown in Fig. 6 and Fig. 7. DTW is particularly effective for time series data because it accommodates temporal distortions. It allows for the alignment of sequences that may vary in speed or timing but share similar underlying patterns(Xiong et al., 2023)(Muller, 2007). This capability makes DTW superior for clustering tasks where recognizing temporal patterns accurately is crucial.




Figure 6: General hierarchical clustering using Euclidean distance.

DTW provides a more robust clustering outcome by aligning data points dynamically, thereby capturing subtle temporal shifts that conventional hierarchical clustering methods might overlook. This approach effectively identified four primary clusters, each reflecting distinct regional traffic behaviors, demonstrating its efficacy in extracting meaningful patterns from complex time series data.




Figure 7: Modified hierarchical clustering using DTW distance.

By leveraging DTW, we achieved a more nuanced understanding of traffic intensity variations across different regions, facilitating improved traffic management strategies.

4 TRAFFIC CLUSTERS AND THEIR CHARACTERISTICS

4.1 Cluster 1 (Barishal and Rangpur)

This cluster generally shows moderate traffic intensity levels, oscillating fast. As shown in Fig. 8, both regions have similar traffic patterns characterized by regular fluctuations, indicating a mix of moderate congestion. There is noticeable variability in traffic intensity within the cluster, with confidence intervals indicating periodic highs and lows. The intensity pattern in Cluster 1 is characterized by recurring peaks and dips, suggesting intermittent congestion and clearance periods.




Figure 8: Cluster 1 (Barishal and Rangpur).

Moderate, cyclical intensity patterns characterize cluster 1. Traffic intensity consistently oscillates with regular peaks and troughs, indicating periodic congestion and clearance cycles. The intensity does not show extreme highs or lows, suggesting moderate traffic conditions that are relatively balanced between the two regions. This cluster's pattern is more dynamic than Clusters 2 and 4, showing regular fluctuations in intensity that are neither too high nor too low, indicating mid-level congestion.

4.2 Cluster 2 (Dhaka and Sylhet)

Cluster 2 displays a relatively steady intensity pattern, mainly dominated by Dhaka's higher and more consistent congestion levels. Sylhet shows slight variability, but overall, the intensity pattern remains stable compared to other clusters. Fig. 9 suggests ongoing, high-intensity traffic without pronounced variations, reflecting the urban nature of the areas in this cluster.

Cluster 2 has the highest and most stable intensity pattern among all clusters, especially compared to Clusters 1 and 3, where fluctuations are more prominent. The steady pattern in Cluster 2 contrasts with the oscillating and variable patterns observed else-




Figure 9: Cluster 2 (Dhaka and Sylhet).

where. This suggests that Cluster 2 represents areas with higher urban congestion.

4.3 Cluster 3 (Khulna and Rajshahi)

In Fig. 10, we see moderate oscillations mark the intensity pattern in Cluster 3, similar to Cluster 1 but with slightly higher peaks. Khulna and Rajshahi show recurring rising and falling intensity patterns, suggesting regular but somewhat more pronounced congestion phases than Cluster 1. The traffic intensity remains moderate, with some variability but without extreme changes.




Figure 10: Cluster 3 (Khulna and Rajshahi).

Cluster 3's pattern is similar to Cluster 1 in variability but generally presents slightly higher intensities. This cluster stands between the more stable, high-intensity patterns of Cluster 2 and the distinct, contrasting patterns of Cluster 4.

4.4 Cluster 4 (Mymensingh and Chittagong)

This cluster exhibits the most divergent intensity patterns within a single cluster, as shown in Fig. 11. Chittagong shows consistently high intensity with minimal fluctuations. At the same time, Mymensingh displays significantly lower intensity with more vari-

ability. This stark contrast highlights a unique pattern where one area remains persistently congested, and the other experiences low and variable traffic intensity.




Figure 11: Cluster 4 (Mymensingh and Chittagong).

Cluster 4 is unique due to the significant disparity between its two regions. Unlike the other clusters, where intensity patterns are somewhat synchronized, Cluster 4 reflects two extremes—high, stable congestion in Chittagong and lower, more fluctuating conditions in Mymensingh.

5 RESULTS AND ANALYSIS

After analyzing the clusters, we found that Cluster 2-(Dhaka and Sylhet) has the most stable and high traffic intensity, indicating sustained congestion typical of dense urban areas. Clusters 1-(Barishal and Rangpur) and 3-(Khulna and Rajshahi) display moderate oscillating patterns, with Cluster 3 having slightly higher peaks. Cluster 4-(Mymensingh and Chittagong) shows the most contrasting patterns, reflecting two distinct traffic conditions.

Clusters 1 and 3 show rhythmic, periodic fluctuations in intensity, indicative of mixed traffic conditions that alternate between congestion and clearance. In contrast, Cluster 2 maintains a steady pattern; these regions experience periodic congestion that alternates with periods of clearance, indicating a less severe but still notable traffic issue. Cluster 4 captures high-stability and low-variability extremes within its regions. This stark contrast highlights the diverse urban and infrastructural dynamics within the same cluster, requiring tailored solutions to manage high and low traffic conditions efficiently. Cluster 2 best represents consistently congested urban traffic, while Cluster 4 effectively highlights contrasting traffic dynamics, making it the most diverse cluster regarding intensity patterns. Clusters 1 and 3 provide insights into moderate, variable traffic conditions typical of areas

with balanced urban and rural influences.

6 CONCLUSIONS

This study examined traffic congestion patterns across various divisions in Bangladesh using a hierarchical clustering approach combined with dynamic time warping for time series analysis. The research utilized a comprehensive dataset comprising 121,632 traffic snapshots collected over six months. To enhance the data quality, we proposed a data modification technique to eradicate random fluctuation in traffic intensity in data preprocessing. These modifications enabled a refined classification of traffic congestion levels.

The analysis identified distinct traffic patterns across different clusters, highlighting the variability in congestion between urban and mixed urban-rural areas. Traditional distance metrics, such as Euclidean distance, were found to be less effective in capturing the temporal dynamics of traffic data. Instead, dynamic time warping was employed to align time series data more accurately, allowing the identification of unique congestion behaviors in each cluster, ranging from stable high-intensity traffic in urban settings to fluctuating patterns in less urbanized regions.

By modifying and analyzing the data effectively, the study provides a robust framework for understanding traffic patterns, aiding urban planners and traffic management authorities in developing targeted congestion mitigation strategies. Future research could build upon these methods by integrating real-time traffic data and exploring advanced clustering techniques to enhance traffic pattern analysis and predictive accuracy in diverse urban environments.

REFERENCES

- Akbar, P., Couture, V., Duranton, G., and Storeygard, A. (2023a). Mobility and congestion in urban india. *American Economic Review*, 113(4).
- Akbar, P. A., Couture, V., Duranton, G., and Storeygard, A. (2023b). The fast, the slow, and the congested: Urban transportation in rich and poor countries. Technical report, National Bureau of Economic Research.
- Ali, Y., Rafay, M., Khan, R. D. A., Sorn, M. K., and Jiang, H. (2023). Traffic problems in dhaka city: causes, effects, and solutions (case study to develop a business model). *Open Access Library Journal*, 10(5):1–15.
- Ambühl, L., Loder, A., Leclercq, L., and Menendez, M. (2021). Disentangling the city traffic rhythms: A longitudinal analysis of mfd patterns over a year. *Trans-*

- portation Research Part C: Emerging Technologies*, 126:103065.
- Chen, Z., Yang, Y., Huang, L., Wang, E., and Li, D. (2018). Discovering urban traffic congestion propagation patterns with taxi trajectory data. *IEEE Access*, 6:69481–69491.
- Harvey, A. C. (1990). Forecasting, structural time series models and the kalman filter.
- Kanchanamala, P., Vineela, V., and Neelima, G. (2016). Traffic data analysis using hadoop based hierarchical clustering.
- Li, X., Gui, J., and Liu, J. (2023). Data-driven traffic congestion patterns analysis: A case of beijing. *Journal of Ambient Intelligence and Humanized Computing*, 14(7):9035–9048.
- Mahmud, K., Gope, K., and Chowdhury, S. M. R. (2012). Possible causes & solutions of traffic jam and their impact on the economy of dhaka city. *J. Mgmt. & Sustainability*, 2:112.
- Muller, M. (2007). Dynamic time warping in information retrieval for music and motion. *Dynamic time warping Information retrieval for music and motion*, pages 69–84.
- TRL, M. A. A.-T., Sexton, G. J. T. M. B., Gururaj, G., and Rahman, F. (2004). The involvement and impact of road crashes on the poor: Bangladesh and india case studies.
- Wang, Y., Zhang, Y., Wang, L., Hu, Y., and Yin, B. (2021). Urban traffic pattern analysis and applications based on spatio-temporal non-negative matrix factorization. *IEEE transactions on intelligent transportation systems*, 23(8):12752–12765.
- Xiong, H., Zhou, X., and Bennett, D. A. (2023). Detecting spatiotemporal propagation patterns of traffic congestion from fine-grained vehicle trajectory data. *International Journal of Geographical Information Science*, 37(5):1157–1179.
- Zang, J., Jiao, P., Liu, S., Zhang, X., Song, G., and Yu, L. (2023). Identifying traffic congestion patterns of urban road network based on traffic performance index. *Sustainability*, 15(2):948.
- Zhao, P. and Hu, H. (2019). Geographical patterns of traffic congestion in growing megacities: Big data analytics from beijing. *Cities*, 92:164–174.