PERFORMANCE IMPROVEMENT BY WORKFLOW MANAGEMENT SYSTEMS Preliminary results from an empirical study

Hajo A. Reijers

Department of Technology Management, Technische Universiteit Eindhoven, Den Dolech 2, Eindhoven, The Netherlands

Keywords: Workflow management systems, performance measurement, case study, empirical research

Abstract: Workflow Management (WfM) systems have acquired a respectable place in the market of enterprise information systems. Although it is clear that implementation of a WfM system may shorten process execution and increase efficiency, little is known about the extent of these effects on business process performance. In this paper, we report on a running longitudinal multi-case study into the quantitative effects of WfM systems on logistic parameters such as lead time and service time. We conclude that in most cases significant decreases of lead time and service time will take place for the cases under consideration. In the presentation of our research outline, we show how we use process simulation for the validation of our measurements, the prediction of performance improvement, and the comparison of the pre- and postimplementation situation. As a side effect of this study, we present some interesting characteristics of actual business processes and the way WfM systems are implemented in practice.

1 INTRODUCTION

Workflow management (WfM) systems have been around since the early nineties, while their conceptual predecessors range back even further (see e.g. Ellis, 1979). Although not as widespread as for example Enterprise Resource Planning systems, they have become "one of the most successful genres of systems supporting cooperative working" (Dourish, 2001). The worldwide WfM market, estimated at \$213.6 million in 2002, is expected to redouble by 2008 (Wintergreen, 2003). Furthermore, WfM functionality has been embedded by many other contemporary systems, such as ERP, CRM, and call-center software.

The alleged advantages of WfM systems are clear. By having a dedicated automated system in place for the logistic management of a business process, such processes could theoretically be executed faster and more efficiently (Lawrence, 1997). Yet, very little is known about the extent of performance improvement an organization may experience in practice. Single case studies are available (e.g. Prinz and Kolvenbach, 1996; Goebl et al., 2001), but do not lend themselves for generalization. Few empirical studies that include multiple implementations are known to us. What is

more, their focus is not on performance issues, but on aspects such as implementation (Parkes, 2002) or the appreciation of the technology by end-users (Kueng, 1998). The study most related to our research is that of Oba et al. (2000), who developed a regression model on the basis of 20 cases to predict the reduction of lead time as a result of WfM Other implementation. available data on performance improvement comes from WfM vendors, who are perhaps not completely unbiased. A study among 100 clients of Staffware, one of the world's largest WfM vendors, indicates for instance that 62.5% of their clients sees increased efficiency as a result of WfM implementation (Staffware, 2000). Unfortunately, this outcome is not accompanied by indications how this figure is established or how much efficiency gains are achieved.

This paper is an interim report on a longitudinal, multi-case study into the effectiveness of WfM technology (see Yin, 1994). Its aim is to quantify the contribution of WfM technology to improved business process performance with respect to lead time, wait time, service time, and utilization of resources. In this way, it is an extension of the scope of the study by Oba et al. (2000).

Our study, which is conducted in the Netherlands, is a joint effort by Eindhoven

A. Reijers H. (2004)

PERFORMANCE IMPROVEMENT BY WORKFLOW MANAGEMENT SYSTEMS - Preliminary results from an empirical study. In Proceedings of the Sixth International Conference on Enterprise Information Systems, pages 359-366 DOI: 10 5220/0002634303590366

University of Technology and Deloitte & Touche management consultants. It started in 2001 and is planned to continue until at least mid 2005. So far, 6 organizations are involved who are in the process of implementing WfM technology to support 17 different business processes. All organizations are administrative organizations, both commercial and not-for-profit, ranging from medium-sized to large.

Although few decisive insights can be reported yet, we are able to publish our expectations on performance improvement for each process. These expectations can be tested when the implementation have been completed and the WfM-enabled processes are taken into operation. Moreover, this reveals interesting characteristics study of administrative business processes and the way that workflow implementations are carried out. These insights may be of interest to those who are active as researchers or practitioners in the WfM arena. Finally, we see this paper as an opportunity to present our chosen research methodology and generate feedback from the research community.

The structure of this paper is as follows. First we will outline our research design in Section 2. In Section 3, we will highlight our experiences on the execution of the study. In Section 4, we will present our preliminary results. Section 5 contains our conclusion and outlook.

2 RESEARCH DESIGN

2.1 Objective

The aim of the effectiveness study is to determine how the performance of the business processes is affected by the implementation of workflow technology. The four performance indicators selected to investigate for each involved business process are as follows:

- *lead time*, i.e. the time between the arrival of a case and its completion (also known as cycle time, completion time, and turnaround time)
- *service time*, i.e. the time spent by resources on the processing of a case
- *wait time*, i.e. the time a case is idle during its life cycle,
- *utilization* of involved human resources, i.e. the ratio of activity versus their availability.

For each of these indicators, we report in this paper on the *average* values. We are aware of the importance of other measures, such as service levels and the degree of variance. Information on these values will be included in our final report. By introducing WfM technology, one may aim to decrease each of the average values of the given performance indicators. Because work is routed by an automated system, work reaches people faster and will not get lost. This decreases lead time and wait time. It will allow people to spend less time on coordination and on the transfer of work, which means a decrease of service time. When the supply of work and resources remain constant, work load and utilization will decrease as a result. Therefore, the hypothesis for this study is that the averages of all four performance indicators will decrease significantly as a result of the use of a WfM system.

2.2 Research steps

To determine the effects on process performance, at the very least an initial measurement of the relevant parameters is required (a) before the WfM implementation and (b) afterwards. Three major issues have further shaped the design of the research:

- the *validation* of the measurements: how can it be ensured that the collected data on the process performance is correct?
- the *prediction* of results: can we try to estimate the results of the WfM technology before its actual implementation?
- the *comparison* of the measurements: how can a proper comparison between various situations takes place?

The major steps in the research that address these issues are given in Figure 1. In this figure, two axis can be distinguished. On the horizontal axis, we have the situation before the WfM technology implementation on the one hand and the situation afterwards on the other. On the vertical axis, we distinguish between the real data on the process on the one hand and the data that follow from a simulation of that process on the other. In the figure it is shown that there are six research steps, which take place in the order 0, 1a, 2a, 3, 2b, and 1b. We will explain these steps in some detail and explain how they address the issues we identified. For now, it is sufficient to say that the a-measurements use the initial circumstances, while b-measurement are based on the final circumstances.

The basis of the research design is formed by gathering *real* data on the process *before* and *after* the implementation of the WfM systems. We respectively refer to these measurements as the 0-measurement and the 3-measurement.

To address the issue of validation (1.), a computer model is build of each business process subject to the study, both before and after the WFM implementation. We refer to the simulation of the




Figure 1: Research steps

model of the initial and final situation as respectively the 1a-measurement and the 2bmeasurement. Both simulation models are as realistic as possible, including real data on the actual structure of the business process, the actual arrival of cases, the actual availability of resources, and the actual routing probabilities of cases flowing through the process, etc. Enactment of the simulation model delivers results on, for example, the lead times of the process and the resource occupation. These simulation results can be compared with the observations of the actual process. For example, the average lead time following from the simulation can be compared with lead time averages observed in practice. Concordance of the real and simulated data gives us some support for the validity of the measurements, either of the initial situation or the situation after the WfM implementation. Large differences between these outcomes may indicate that a part of the process is not understood or modeled correctly.

To enable prediction (2.), we attempt to build a simulation model that reflects the situation after the implementation of the WfM system (the 2ameasurement). This model is based on the simulation model of the current process (used for the 1a-measurement) and captures both realistic and estimated data. On the one hand, it incorporates the aspects of the initial process that presumably will be the same after implementation. On the other hand, typical effects of WfM technology are incorporated in it. For example, transportation activities that exist in the current process are eliminated from the model, because WfM technology will take care of transportation. Furthermore, planned initiatives of the organization to e.g. optimize the process structure or change the resource staffing are also

incorporated in the model for the 2a-measurement. In this way, its estimate of the future overall effect is the most realistic. A comparison between the 1a- and 2a-measurement delivers insights in the expected benefits of the WfM technology.

The issue of comparison (3.) is slightly more sophisticated. As we are primarily interested in the effect of the WfM technology, a straightforward comparison between the initial and final measurement (the 0- and 3-measurement) is perilous. After all, various other variables may have changed during WfM implementation that affect the final measurement. For example, if WfM technology is implemented while at the same time a staff reduction takes place, the performance following from the 0- and 3-measurement may be similar. It would not be proper in such a case to decide that WfM technology has not contributed anything. Similarly, the supply of work may have changed drastically.

To counter these effects, we build a new simulation model, which is used for a so-called 1b-measurement. It mixes elements from the 1a-model and the 2b-model. More specifically, it is as close to the 1a-model as possible, while incorporating all changes *apart* from the workflow implementation that have taken place between the 0- and 3-measurement. In the previously example of staff reduction, this would mean that it includes e.g. the original process structure but a *reduced* number of staff compared to the original, initial situation. A comparison between the 2a and 2b-measurements will therefore be much more meaningful.

In summary, the 1a- and 2b-measurements serve as validation for respectively the 0- and 3measurement. A comparison between the 1a- and 2a-measurement gives an estimation of the effects of WfM technology beforehand, while a comparison between the 1b- and 2b-measurement is the most reliable estimation of the actual net effect of WfM technology.

2.3 Data gathering and analysis

Business processes contain a certain structure and they show a certain behavior. For this study, the most important categories of data to be determined for each business process are as follows:

- *process*: tasks, milestones, business logic, routing probabilities
- resource: types of resources, work assignment policies, number and availability of resources
- *performance*: service times, lead times, arrival rate of new cases, work-in-progress, resource utilization

For data gathering, the researchers used a multimethod approach, combining interviews, existing process descriptions, observations, management reports, self-registrations by people involved in the process, and automatically collected data by existing information systems. For each measurement, a careful consideration has been made for the most suitable mix of instruments.

An important difference between the 0- and 3measurement with respect to data gathering concerns the availability of data. Where possible, the use of existing registrations on the processing of historic cases were favored over conducting new, manual registrations for reasons of representativity and ease of extraction. For the 0-measurement it was somehow inevitable that new data collection had to take place, for useful administration of this data within the organizations was often lacking. For the 3-measurement, the data gathered by the WfM system itself is an obvious rich and accessible source of this type of information.

Processes were modeled as Petri nets using the commercial tool Protos (Pallas Athena, 1997). The tool allows for efficient communication with endusers and the organization's management, thus simplifying knowledge extraction and validation. Protos models were automatically translated to simulation models, which could be executed and analyzed by the Petri-net based simulation tool ExSpect (Van Hee et al., 1989). ExSpect provides a rich environment for simulation and analysis (e.g. confidence intervals, sensitivity analysis). For more information on the interplay between these tools, the reader is referred to a paper by Van der Aalst et al. (2000).

2.4 Progress

The workflow study started in September 2001 and is expected to continue until at least mid-2005. So far, six Dutch organizations have been actively involved in the study. The characterization of these organizations are given in Table 1. Note that the column 'cases per year' shows the typical number of cases processed by the largest process under consideration for that specific organization. The respective processes of the involved organizations typically spanned a dozen up to over hundred activities. Both fully automated, semi-automated and purely manual activities were part of almost all of these processes. In the simplest case, only two different resource classes were involved in the entire workflow process, while this ranged to seven or eight different resource classes for more complex cases.

An organization could participate in the study when it had already selected a WfM system, but did not yet implement it. The actual WfM systems involved in this study were three commercially available WfM-systems (Staffware, COSA, and FLOWer) and one proprietary system (VenWfm).

For all listed organizations, the initial 0measurement has now been completed. For two of these, the final 3-measurement is in process. For two others, the WfM project has been stopped by the respective organizations. At the same time, three new candidate organizations have applied to participate in the study (not included in the list).

	т <u>.</u>		icipants in the wor			1
organization number	organization description	number of employees	turnover/ budget (x millions €)	focus of involved processes in study	number of involved process in study	cases per year (x 1000)
1.	governmental agency	700	60 (b)	debt collection	1	7000
2.	health insurer	2300	5200 (t)	policy maintenance	7	250
3.	regional public works department	1000	250 (b)	invoice processing	1	20
4.	local municipality	300	210 (b)	invoice processing	2	25
5.	insurance intermediary	5000	29000 (t)	policy maintenance	4	2000
6.	domiciliary care agency	1450	50 (t)	human resource management	2	1,5

3 ISSUES AND EXPERIENCES

3.1 Study

A disappointing event during the study was the premature break off of two of the participating organizations. In both cases, considerations on the organizational level caused the termination of the workflow projects. This involved a change of management within one organization and IT budget problems within the other. No indications were found that the decisions to stop were related to the WfM-technology itself. We suppose that the implementation of WfM technology is as hazardous as that of other large-scale information systems.

3.2 Simulation

The validation of the processes by means of simulation has proved to be an effective validation means, but a more difficult one than estimated. Simulations did turn out to be helpful in finding several mismatches and omissions. Yet, four major modeling issues emerged.

The first issue concerns the problem that human resources are often dedicated to more than one business process at a time. The distribution of attention over these processes is rather dynamically determined and hard to model, e.g. some people work on the process that is the busiest and others on the ones they like most. This issue has also been identified by Sierhuis (2001).

The second issue involves the modeling of parttime resources. The problem is different than the previous one. Even though a broken number of available FTE's may be known, the simulation is sensitive to the way this availability is implemented. For example, 9 half-time people perform differently than 4 full-time people and 1 half-time person.

Thirdly, the performance of human resources proved to be rather elastic. We have seen people be able to process 40 % more cases in busy periods. In other words, average service times decreased when the supply of work increased.

The final issue was related to a varying work load throughout the seasons. For the insurance intermediary, for instance, the month of December proved to be a much busier period than any of the summer months.

All four issues have been met in the simulation models by extending the logic of the simulation components, extending the number of observations, and/or an extended analysis of work practice.

3.3 Data gathering

The activity of data gathering was hampered by the unavailability of registrations of all kinds of data within organizations, such as the receipt of triggers or the completion of milestones. Observations and registrations by workers themselves were used to counter this problem. Furthermore, the available data gathering period preceding the WfM implementation was often shorter than the usual lead time of a single case. So, instead of following single cases flow through the business process to determine the service time spent on this case, more often for each task in the process its average service time was determined by counting a number of executions for different cases.

3.4 Process

An interesting side-effect of this study was that it gave the researchers the opportunity to examine the characteristics of business processes as executed, monitored, and designed in practice. We will highlight these insights here.

For each of the organizations, the distinguished performance criteria as distinguished in this study were mentioned as targeted by their own WfMimplementation. This positively confirmed our ideas on the importance of these notions. Additional goals that were mentioned: increased service quality, increased process flexibility, and a better integration of stand-alone applications.

One of the striking observations was that out of the 17 processes considered *none* of these processes incorporated concurrent behavior, i.e. parallel processing of single cases. Business processes turned out to be completely sequential structures. Their routing complexity was only determined by choice constructs and iterations. Even more remarkable is that for only one of these processes the process owners indicated that they considered to put more parallelism in the process once it would be supported by a WfM-system. This contradicts with the idea that parallel processing is an obvious next step in improving the performance when adopting WfM technology (see e.g. Van der Aalst and Van Hee, 2003, p.93).

On a related note, the implementation of a WfMsystem did not prove to be a direct incentive to redesign the structure of the business process drastically. Without exception, each participating organization favored in the short term the situation to have a WfM-system supporting the current process over a drastically improved version of the process. This may be counter-intuitive. One of the strengths of WfM-technology's is that it enables the restructuring of the process structure. Moreover, automating a "paper" process may not be the most effective way to achieve decreased lead and service times. On the other hand, this approach decreases the risk of failure by lowering the project's complexity. So, from a change management perspective, the selected strategy of the organizations may be wise.

3.5 Technology

For four out of the six participating organizations, WfM technology was entirely new at the start of this study. The two other organizations had experiences with the implementation of WfM technology in other business processes.

For all involved processes the implementation of a document management system accompanied the introduction of the WfM system. Considering the tight integration between the two types of systems, we have established that the outcomes of this study can only relate to their combined use. In other words, the digital storage of both structured and unstructured data is crucial for a WfM system to be useful in practice.

4 **RESULTS**

A summary of the most important results is shown in Table 2. Table 2 gives the 1a- and 2a-measurements of the lead time and service time, as well as the 1ameasurement of the utilization. Also shown are the expected gains from WfM systems for the lead time and service time, as can be derived from their 1aand 2-measurements. Significant changes are accentuated.

For 15 out of 17 business processes (88%), the average lead time is expected to decrease significantly. The gains range from 25% to 83%, with an average of 48%. For the two other processes, these results are not significant.

Process 14. is the furthest away from a significant decrease of lead time. However, this turns out to result from a redefinition of the 'case' concept. In the new situation, the WfM system makes it possible to loop back a class of problematic cases to the beginning of the process. Historically, these cases could only be terminated and then re-instantiated under a different id, which used to lead to overly positive lead time outcomes.

With respect to service time, for 13 out of 17 business processes (76%) a significant change is expected to take place. From these, 12 processes show an expected decrease of service time between 4% to 47%. However, in the situation of process 5. an *increase* of service time is expected to take place (9%). On average, an expected decrease of service time of 23% is expected for these 13 processes.

It is interesting to take a closer look at process 5. It handles the simple mutations of health insurance policies, such as caused by a change of address. It is the process with the lowest complexity and the

~	-			14010 2. 10141	n results study	Service time		
Org.	Proc.	Lead time				Utilization		
nr.	nr.	la-meas.	2a-meas.	reduction	la-meas.	2a-meas.	reduction	la-meas.
(see		(average	(average.	(%)	(average	(average	(%)	(weighted
Tab.1)		value in	value in		value in	value in		average %)
		days)	days)		minutes)	minutes)		
1.	1.	59,1	9,8	83**	13,45	7,14	47**	73
2.	2.	3,83	2,13	44**	16,01	9,01	44**	68
	3.	3,35	1,89	44**	4,16	4,01	4	65
	4.	3,40	1,96	42**	8,54	8,14	5*	65
	5.	3,76	1,72	54**	3,51	3,84	-9*	65
	6.	4,19	2,31	45**	9,25	8,90	4*	73
	7.	3,37	2,01	40**	10,75	8,19	24**	78
	8.	3,01	1,83	39**	5,4	3,89	28**	78
3.	9.	16,00	11,93	25**	17,66	17,39	2	4
4.	10.	6,50	1,81	72**	42,00	22,11	47**	3
	11.	13,08	6,82	48**	19,45	13,21	32**	36
5.	12.	6,17	4,56	26**	12,13	12,56	-4	60
	13.	5,17	2,34	55**	11,25	11,11	1	67
	14.	8,68	9,48	-9	61,55	43,44	29**	57
	15.	5,18	2,36	55**	12,06	11,03	9**	96
6.	16.	8,92	5,12	43**	24,19	20,97	13**	23
	17.	1,49	1,36	9	13,69	10,72	22**	71

Table 2: Main results study

** = significant with two-sided 99% confidence intervals, * = significant with two-sided 90% confidence intervals

lowest initial average service time value (3,51 minutes). Clearly, the overhead caused by the use of the WfM system – starting the system, registering work to be completed, etc. – can in this case not be compensated by less coordination work.

Note that some categories of data are not shown in the table. In this phase of the study, they can still be derived from the presented data as follows:

- the 0-measurements: All average values of the 0-measurement are within the 99% confidence interval of the values of the 1ameasurement. In other words, the 1measurements accurately reflect the situation at the 0-measurement.
- the 2a-measurement on the utilization: Utilization will change accordingly to the expected change of service time, because an equal supply of work and workforce is assumed after each WfM implementation.
- the measurement on the wait time: Because of the almost complete lack of concurrency, the wait time in each situation can be accurately determined by subtracting the service time from the lead time. The general relation between these entities is discussed by e.g. Reijers (2003, p.182).

In other words, the effects on utilization are equal to the effects on service time and the effects on wait time are similar to the effects on lead time. Note that in general these similarities will not hold when comparing the 0- and future 3-measurements.

5 CONCLUSION AND OUTLOOK

At this stage of the research, we have indications that WfM systems in general will positively affect the identified performance indicators averages. In a large majority of cases we investigated, service time and utilization are expected to decrease with 23%. For an even larger majority, lead time and wait time are expected to decrease with more than twice that amount, namely 48%. Clearly, it needs to be seen whether these results will be accomplished in practice. On the basis of an almost completed 3measurement for organization 3., we are hopeful that the actual gains are indeed in the range of the predicted gains.

As a side effect, this empirical study has proved to be a valuable source of information on actual business process properties and their execution. Also, simulation proved to be a good way of validating the initial measurements, but a number of challenges had to be faced. Unfortunately, we have seen two organizations putting their WfM implementations on hold, perhaps definitively. We are still attracting new organizations to get involved in the study to generate support for general conclusions. Finally, it seems that the evaluation of the performance of WfM systems cannot be separated from the contribution of document management systems.

Currently we are carrying out the first two 3measurements. As part of this work, we are developing a general tool to derive from the event logs of WfM-systems performance information. We are studying industry solutions in this field, such as the ARIS process performance monitor, and XML data formats.

ACKNOWLEDGEMENTS

The following people from Eindhoven University of Technology and Deloitte & Touche have greatly contributed to this study: Wil van der Aalst, Kees van Hee, Charo Narvaez, René Theunissen and Eric Verbeek

REFERENCES

- Aalst, van der, W.M.P., Crom, de, P.J.N, Goverde, R.R.H.M.J., Hee, van, K.M, Hofman, W.J., Reijers, H.A., der, R.A., Toorn. van 2000. ExSpect 6.4: An Executable Specification Tool for Hierarchical Colored Petri nets. In ATPN'00, Application and Theory of Petri Nets 2000, Lecture Notes in Computer Science 1825. Springer-Verlag.
- Aalst, van der, W.M.P, Hee, van, K.M., 2002. Workflow Management: Models, Methods, and System, MIT Press. Cambridge.
- Dourish, P., 2001. Process descriptions as organizational accounting devices: the dual use of workflow technologies. In *GROUP'01, ACM Conference on Supporting Group Work*. ACM.
- Ellis, C.A., 1979. Information Control Nets: A Mathematical Model of Office Information Flow. In SIGMETRICS'97, ACM Conference on Simulation, Measurement and Modeling of Computer Systems. ACM.
- Goebl, W., Messner, K.J., Swarzer, B., 2001. Experiences in introducing workflow management in a large insurance group. In *HICSS'01*, 34th Hawaii International Conference on System Sciences. IEEE.
- Hee, van, K.M. Somers, L.J., Voorhoeve, M., 1989. Executable Specifications for Distributed Information Systems. In Proceedings of the IFIP TC 8 / WG 8.1 Working Conference on Information System Concepts: An In-depth Analysis. Elsevier Science.
- Kueng, P., The effects of workflow systems on organizations: a qualitative study. In Business Process Management: Models, Techniques, and Empirical

Studies, Lecture Notes on Computer Science 1806. Springer-Verlag.

- Lawrence, P., editor, 1997. *Workflow Handbook 1997*, John Wiley and Sons. New York.
- Oba, M., Onada, S., Komoda, N., 2000. Evaluating the quantitative effects of workflow systems based on real cases. In *HICSS'00*, 33rd Hawaii International Conference on System Sciences. IEEE.
- Pallas Athena. *PROTOS User Manual*. Pallas Athena BV, Plasmolen, 1997.
- Parkes, A., 2002. Critical Success Factors in Workflow Implementation. In PACIS'02, 6th Pacific Asia Conference on Information Systems. Jasmin.
- Prinz, W., Kolvenbach, S., 1996. Support for Workflows in a Ministerial Environment. In *CSCW'96, ACM conference on Computer supported cooperative work.* ACM.
- Reijers, H.A., 2003. Design and Control of Workflow Processes: Business Process Management for the Service Industry, Lecture Notes in Computer Science 2617. Springer-Verlag.
- Staffware, 2000. Benefits, Progress and Competitive Edge – The Customer's Experience, Staffware. Maidenhead UK.
- Yin, R. K., 1994. Case Study Research, Design and Methods, Sage Publications. Newbury Park, 2nd edition.
- WinterGreen, 2003. Business Process Management (BPM) Market Opportunities, Strategies, and Forecasts, 2003 to 2008, WinterGreen Research. Lexington MA.