


# Speaking the Same Language or Automated Translation? Designing Semantic Interoperability Tools for Data Spaces

Maximilian Stäbler<sup>1</sup> <sup>a</sup>, Tobias Guggenberger<sup>2</sup>, DanDan Wang<sup>3</sup>, Richard Mrasek<sup>4</sup>, Frank Köster<sup>1</sup> and Chris Langdon<sup>5</sup>

<sup>1</sup>German Aerospace Center (DLR), Institute for AI Safety and Security, Ulm, Germany

<sup>2</sup>Fraunhofer ISST, Dortmund, Germany

<sup>3</sup>T-Systems International GmbH, Bonn, Germany

<sup>4</sup>T-Systems International GmbH, Darmstadt, Germany

<sup>5</sup>Drucker School of Business, Claremont Graduate University, Claremont, U.S.A.

**Keywords:** Data Spaces, Semantic Interoperability, Design Principles, Data Ecosystem.

**Abstract:** This paper tackles the challenge of semantic interoperability in the ever-evolving data management and sharing landscape, crucial for integrating diverse data sources in cross-domain use cases. Our comprehensive approach, informed by an extensive literature review, focus-group discussions and expert insights from seven professionals, led to the formulation of six innovative design principles for interoperability tools in Data Spaces. These principles, derived from key meta-requirements identified through semi-structured interviews in a focus group, address the complexities of data heterogeneity and diversity. They offer a blend of automated, scalable, and resilient strategies, bridging theoretical and practical aspects to provide actionable guidelines for semantic interoperability in contemporary data ecosystems. This research marks a significant contribution to the domain, setting a new design approach for Data Space integration and management.

## 1 INTRODUCTION


In today's digital era, data is a critical asset driving innovation and economic growth. The European Data Strategy (European Commission, 2020) aims to create a single market for data within Europe, emphasizing inter-organizational data sharing to foster a competitive and innovative digital economy through seamless and secure data exchange. This strategy supports the development of new products, enhances decision-making, and contributes to societal benefits such as improved healthcare and sustainable development (Hutterer et al., 2023; Guggenberger et al., 2024).

Data Spaces and Data Ecosystems are central to this strategy. Data Spaces facilitate the sovereign and secure exchange of data between organizations, while Data Ecosystems integrate multiple Data Spaces, creating environments that support data-driven innovation across various domains and industries.

Our research addresses the challenge of achieving semantic interoperability within and across Data

Spaces. We aim to develop tools supporting specific ontologies and data structures within domains while facilitating their integration across different domains, preventing isolated silos and supporting a wide array of applications (Otto, 2022). Semantic interoperability is crucial for data integration, ensuring different systems can correctly interpret and utilize exchanged data. Addressing the gap in semantic interoperability research compared to other layers, our paper offers new insights and solutions to this critical aspect of data interoperability.

Before introducing the research questions, we clarify the significance of the three desirable attributes of semantic interoperability: automatable, scalable, and resilient. Automatable interoperability reduces manual intervention and errors, increasing efficiency. Scalability ensures a system can handle increasing data and participants without compromising performance, supporting the expansion of data ecosystems. Resilience maintains system functionality and performance despite variations in data quality, formats, and sources, ensuring robust data exchange amid disruptions or changes.

<sup>a</sup>  <https://orcid.org/0000-0003-1311-3568>

Our research aims to develop tools for the integration, management, and interconnection of data across various domains. Our research question is:

*RQ: How can tools be designed for automatable, scalable, and resilient semantic interoperability within and across Data Spaces?*

Our approach involves a two-pronged strategy. First, we conduct a literature review and expert interviews to gather and analyze existing knowledge, establishing meta-requirements (MR). Using these MRs, we derive design principles (DPs) for tools embodying automation, scalability, and resilience, essential for semantic interoperability between Data Spaces (Curry et al., 2022).

By harmonizing disparate data models and standards, our approach lowers data sharing and integration barriers. Successful development and implementation of these principles promise to streamline data integration processes across domains, paving the way for a unified and efficient data ecosystem. This transformation could revolutionize the data landscape in Europe, setting a global benchmark for data interoperability and integration (Jabbar et al., 2017; Ouksel and Sheth, 1999).

The paper is structured as follows. Section 2 provides foundational knowledge, delineating the literature streams for developing MRs. Section 3 details our research methodology. The MRs, derived from expert interviews, are presented in Section 4. Building upon these MRs, Section 5 elaborates on the DPs. Section 6 discusses the broader implications of our findings, acknowledges study limitations, and highlights potential future research avenues, concluding with a summative overview.

**Main Contribution.** This paper advances semantic interoperability in heterogeneous data ecosystems and Data Spaces. The main contributions are:

- **Conceptual Clarity:** Clear differentiation between Data Spaces and traditional database systems, enhancing the understanding of their unique roles within data ecosystems.
- **Meta-Requirements and Design Principles:** Identification of key meta-requirements for services promoting semantic interoperability, forming the basis for novel design principles ensuring automation, scalability, and resilience in data exchange processes.
- **Methodological Rigor:** Comprehensive methodological framework detailing each study stage, providing a robust basis for the study's conclusions.

- **Timely and Relevant Research:** Addressing contemporary issues within the European Data Strategy, aligning contributions with strategic objectives to foster a unified European data market, with practical implications for policy and industry stakeholders.
- **Innovative Approach:** Dual focus on meta-requirements and design principles to tackle semantic interoperability challenges, providing actionable guidelines for developing tools supporting data integration and management across diverse domains.

In summary, the paper bridges critical gaps in the literature by offering a theoretically and empirically grounded framework for advancing semantic interoperability in data spaces, thus supporting the broader goal of creating interconnected and efficient data ecosystems.

## 2 THEORETICAL BACKGROUND

This chapter outlines the theoretical foundations of dataspace and semantic interoperability, crucial for deriving design principles (DPs).

### 2.1 Dataspaces

Originally conceptualized by Franklin and Halvey (Franklin et al., 2005; Halevy et al., 2006), dataspace has evolved as an alternative to traditional relational databases. Table 1 presents diverse definitions of dataspace.

Numerous dataspace approaches, such as Gaia-X, Catena-X, IDS, FAIR dataspace, and SOLID, emphasize technical interoperability (European Commission, 2020). However, full technical compatibility remains unachieved. Analysis of various reference architectures reveals core components essential for controlled and secure data exchange (Curry, 2020a; Curry et al., 2022; Otto et al., 2022; Theissen-Lipp et al., 2023):

1. Providing and Accessing Data (Connector): Manages data according to usage policies, ensuring data sovereignty.
2. Intermediation Services (Metadata broker, App Store): The Resource Catalog lists available offers, characteristics, and conditions of use.
3. Identity Management and Secure Data Exchange: Ensures participant identity verification and transaction security.

Table 1: Extract of definitions of dataspace - the complete overview is shown in (Curry, 2020b).

Definition	Source
”Dataspace are not a data integration approach; rather, they are more of a data co-existence approach. The goal of dataspace support is to provide base functionality over all data sources, regardless of how integrated they are.”	(Halevy et al., 2006)
”A dataspace system processes data, with various formats, accessible through many systems with different interfaces, such as relational, sequential, XML, RDF, etc. Unlike data integration over DBMS, a dataspace system does not have full control on its data, and gradually integrates data as necessary.”	(Wang et al., 2016)
”Dataspace is defined as a set of participants and a set of relationships among them.”	(Singh and Jain, 2011)

4. Management Components: Manages participant activities such as registration, deregistration, revocation, suspension, and monitoring.

Dataspace offer benefits to businesses (e.g., industrial data sharing, access to heterogeneous data ecosystems), individuals (e.g., control over personal data), science (e.g., impact of research data), and governance/public sector (e.g., data commons for improved services) (Curry et al., 2022).

Dataspace provide federated and self-determined interoperability for specific use cases (Otto, 2022). Examples include Catena-X for the automotive industry and the Mobility Dataspace (MDS). The European Commission envisions a singular European dataspace (Theissen-Lipp et al., 2023), extending beyond enterprise boundaries to include distributed, federated, and decentralized data systems. Interoperability across dataspace (dataspace mesh) poses challenges in scalability, efficiency, and governance (Drees et al., 2021).

## 2.2 Semantic Interoperability

”Semantic interoperability ensures that these exchanges make sense—that the requester and the provider have a common understanding of the “meanings” of the requested services and data.” - (Heiler, 1995)

Semantic interoperability, recognized since (Heiler, 1995), emphasizes meaningful data exchange through shared understanding. (Ouksel and Sheth, 1999) categorizes interoperability into system, syntax, structure, and semantics levels.

Syntactic heterogeneity involves differences in machine-readable data representations, while structural interoperability concerns data modeling constructs. Despite advances in systems, syntactic, and structural interoperability, solutions for semantic interoperability are still elusive (Ouksel and Sheth, 1999).

Many web services technologies assume semantic homogeneity, implying a universal vocabulary (Uschold and Gruninger, 2004). However, historical attempts to integrate systems under a single vocabulary have largely failed (Haslhofer and Klas, 2010). Recognizing semantic heterogeneity is essential for seamless system connectivity (Uschold and Gruninger, 2004).

Figure 1 illustrates the challenges of heterogeneity in information systems and its implications for semantic interoperability. ”Data Heterogeneity” refers to physical variances in data, while ”Reasons for Misinterpretations” highlights subjective sources of error.

In dataspace, characterized by distributed, autonomous, diverse, and dynamic information sources, accessing relevant and accurate information is complex (Ouksel and Sheth, 1999). Semantic interoperability and semantics-based technologies are fundamental for market success and establishment of dataspace (Theissen-Lipp et al., 2023; Otto et al., 2022; Curry et al., 2022). Integration of complex systems across domains necessitates a unified framework for effective communication (Boukhers et al., 2023).

While the necessity for such services is established (Boukhers et al., 2023), concrete implementation proposals or practical tests are lacking. This gap motivates our proposal of DPs for such a service.

## 3 METHODOLOGY

To develop theoretically and empirically grounded DPs for interoperability tools for dataspace, we employed a structured methodology. We will discuss data collection, analysis, and DP generation. First, we conducted a structured literature review to gather existing knowledge as preliminary design requirements. Second, we refined our understanding of the problem space and restructured the requirements. Finally, we developed an interview guideline for conducting semi-structured interviews to triangulate our prelim-




Figure 1: Heterogeneity in information systems and reasons for misinterpretations of data according to (Wenz et al., 2021).

inary findings with empirical data. We performed a thematic analysis of focus group discussions to identify key themes and topics, which then structured the interview guide, ensuring questions explored relevant issues in depth.

### 3.1 Literature Review

We conducted a structured literature review following established guidelines (Webster and Watson, 2002; Zhang et al., 2011; Levy and Ellis, 2006; Vom Brocke et al., 2015). We identified relevant databases (IEEE Xplore, ACM Digital Library, ScienceDirect, Wiley InterScience, SCOPUS) and used filtering functions to include only peer-reviewed publications with full-text access. Using iterative search strings based on Schoormann et al. (Schoormann et al., 2018), we performed the search as shown in Table 2.

This process yielded 69 distinct publications. After filtering by title, abstract, and full text, 31 publications remained. We scanned references from these publications, adding three further studies, resulting in a total of 31 publications.

### 3.2 Focus Groups and Expert Interviews

Informed by the literature review, we structured preliminary requirements for semantic interoperability tools. These were evaluated and refined in focus groups formed by the core working group "Semantic Modeling and Interoperability" from a family of projects funded by the German Federal Ministry for Economic Affairs and Climate Protection. We used

seven remote meetings for this purpose.

The focus group has 16 members from industry, research, and the public sector, with expertise in interoperability, data systems, application programming, semantics, operators, and end users.

We developed a semi-structured interview guideline based on the literature review and focus group discussions. Semi-structured interviews allowed experts to provide input on specific topics. After seven interviews with experts (Table 3), theoretical saturation was reached.

### 3.3 Design Principle Generation

DPs are prescriptive guidelines codifying design knowledge about a specific class of artifacts (Chandra et al., 2015; Gregor, 2006; Baskerville et al., 2018). They guide developers to increase design process efficiency and communicate design knowledge with stakeholders (Chandra et al., 2016; Mcadams, 2003; Hevner et al., 2004). DPs are central to design science research (Sein et al., 2011; Möller et al., 2020), covering core components of a design theory: *causa finalis, materialis, formalis* (Jones and Gregor, 2007). We followed guidelines from Möller et al. (Möller et al., 2020) and used Chandra et al.'s (Chandra et al., 2015) template for documentation. Our approach combined a literature review, focus group meetings, and expert interviews to elicit MRs. We developed a preliminary list of requirements, discussed them in focus groups, and refined the problem space and solution objective. This informed the questionnaire for expert interviews, and we finally evaluated the DPs argumentatively.

Table 2: Search Strings.

	Search Strings
<b>S1</b>	(semantic* AND (automated* OR resilient OR scalable OR shared OR sharing))
<b>S2</b>	(interoperability* OR inter-operability)
<b>S3</b>	(dataspace* OR dataspace OR datenraum)
<b>S</b>	S1 AND S2 AND S3

Table 3: Expert Overview.

Expert	Occupation	Company / Industry
<b>E1</b>	Data Manager (PhD)	Ministry of Transport and Mobility Transition
<b>E2</b>	Research Associate Data Business	Institute for Software and Systems Engineering
<b>E3</b>	Senior Expert Cyber Physical Systems	Automotive Supplier (> 200.000 employees)
<b>E4</b>	Lead Business Consultant (PhD)	Large consulting company (> 10.000 employees)
<b>E5</b>	Head of Advisory Council	Dynamic Data Economy Foundation
<b>E6</b>	Research Associate Industry 4.0 Innovation	Large Software Company (> 100.000 employees)
<b>E7</b>	Research Associate Data Science and AI	Institute for Applied Information Technology

## 4 FORMULATING META-REQUIREMENTS

This section presents the MRs for services that enable semantic interoperability in dataspace to be automatable, scalable, and resilient. Derived from literature and expert interviews, Table 4 provides an overview of the MRs and their basis. Below, we describe the five MRs for semantic interoperability with selected quotations to illustrate their meaning.

**Meta-Requirement # 1: Contextualization and metadata:** Effective semantic interoperability requires appropriate metadata and context. *E1* and *E4* emphasize the importance of "metadata or extended metadata" and "semantic models" for accurate data interpretation. Comprehensive metadata visibility, as noted by *E2*, is crucial for understanding data provenance and usage. Curry et al. (Curry, 2020b) state that dataspace must support various data models and query languages. 71.43% of experts highlighted the importance of contextualization and metadata, criticizing current approaches as incomplete or insufficient (*E1, E2, E4, E6*).

**Meta-Requirement # 2: Resilience of data:** An artifact must handle diverse data qualities and formats. *E1* stresses the need for systems that can "make the data comparable through automation," while *E5* emphasizes ensuring the integrity and authenticity of data. Approaches from ontology matching and alignment can help overcome semantic heterogeneity (Otero-Cerdeira et al., 2015; Liu et al., 2021; Ardjani et al., 2015; Uschold and Gruninger, 2004). Resilience and scalability are deemed critical by 57.12% of experts.

**Meta-Requirement # 3: Scalability:** Effective semantic interoperability requires scalable solutions accessible to users regardless of their technical background. *E1* and *E6* highlight the need for automated approaches to homogenize data. *E7* mentions the ease of transforming data formats as crucial. Scalability ensures dataspace can expand and accommodate increasing data and complexity (Theissen-Lipp et al., 2023). 57.12% of experts emphasized scalability, often linked with automation and resilience (*E1, E2, E7*).

**Meta-Requirement # 4: Ease of use and simplicity:** Widespread adoption depends on simplicity and user-friendliness. *E4* calls for "intuitive design" and open-source artifacts. *E3* and *E6* highlight the importance of reducing effort and not requiring extensive expertise. Natural language interfaces, like those provided by AI and LLMs, make systems more approachable for non-experts (Wang et al., 2023; Pan et al., 2023). Boukhers et al. (Boukhers et al., 2023) suggest AI algorithms for semantic interoperability. 42.85% of experts stressed simplicity.

**Meta-Requirement # 5: Community-driven learning:** Leveraging collective intelligence enhances and evolves artifacts over time. 28.57% of experts noted this as an important characteristic. *E1, E5* emphasize updating data schemas and learning domain-specific characteristics (*E6*). Dataspace must handle the volatility of the data landscape (Curry, 2020a; Drees et al., 2021; Franklin et al., 2005). Community feedback leads to continuous refinement and effectiveness (Otero-Cerdeira et al., 2015; Liu et al., 2021; Ardjani et al., 2015; Uschold and Gruninger, 2004).

These MRs form a cohesive framework for an artifact that enables semantic interoperability. Address-

Table 4: Meta-Requirements Overview. In addition to the `Meta-Requirement` and `Description` columns, the `Experts` column lists which experts have named requirements that can be assigned to the respective meta-requirement. Meta-requirements have been ordered by importance, starting with the most important MR.

MR	Meta-Requirement	Description	Experts	#Experts (%)
1	Contextualization and metadata	The artifact should require the provision of data context and mandatory metadata (specifics to be defined) for effective use	E1, E2, E4, E6, E7	5 (71,43%)
2	Resilience of data	The artifact must be resistant to different data qualities, data types and data formats in order to ensure practical usability	E1, E3, E5, E6	4 (57,12%)
3	Scalability	The artifact should be designed in such a way that it can be automated so that people without specialized knowledge can use it effectively to facilitate scalability in the complex semantic landscape	E1, E2, E5, E6	4 (57,12%)
4	Ease of use and simplicity	To encourage broad engagement, the artifact should be designed for extreme simplicity	E3, E4, E7	3 (42,85%)
5	Community-driven learning	The artifact should be able to continuously learn and improve by taking into account feedback from the community and users	E1, E7	2 (28,57%)

ing these core needs allows the proposed artifact to serve as a robust, inclusive, and adaptive framework for data management. Chapter 5 derives DPs based on these MRs.

## 5 DESIGN PRINCIPLES

The following DPs were formulated based on the MRs to connect various data sources, enhance data resilience, and promote an inclusive and adaptive environment for data exchange in dataspaces. Figure 2 shows the fulfillment of the MRs by the DPs (Möller et al., 2020). The seven principles are discussed below using the format of Chandra et al. (Chandra et al., 2015). A preliminary evaluation using Iivari et al.'s (Iivari et al., 2021) framework is also provided.

### 5.1 Design Principle Description

**DP1: Integration Optimization:** *Design interoperability artifacts to optimize the seamless integration of diverse data sources, domains, and formats, emphasizing scalability and user-friendly automation for robust integration solutions.*

**Rationale:** Essential for establishing interoperable dataspace, this principle ensures seamless integration of heterogeneous data. Derived from MR1, MR2, and MR3, it supports scalability and user-friendly automation, making diverse data comparable through automated processes (E1).

**DP2: Data Resilience Promotion:** *Equip the system with mechanisms for data robustness, ensuring reliable performance with data of varying quality levels, types, and formats.*

**Rationale:** Reflecting MR1, MR2, MR3, and MR5, this principle ensures the artifact can handle varying data quality. Data resilience is foundational for maintaining reliability across different data landscapes (E7).

**DP3: Metadata Enhancement:** *Implement rich metadata and contextual information in interoperability artifacts, enabling effective data use and understanding across various domains.*

**Rationale:** Building upon MR1 and MR2, this principle mandates rich metadata for data utility. Services providing extended metadata and semantic models are crucial for accurate data interpretation (E1, E4).

**DP4: Universal Design for Interoperability:** *Construct interoperability artifacts with a universal design, simplifying interactions for a broad range of users, regardless of technical expertise.*

**Rationale:** Corresponding with MR3 and MR5, this principle democratizes the use of interoperability artifacts, making them accessible to users with varying technical knowledge (E5).

**DP5: Adaptive Improvement:** *Develop artifacts supporting adaptive learning through community feedback, allowing continuous improvements and integration of new data formats.*

**Rationale:** Aligned with MR3 and MR4, this DP




Figure 2: Overview of the dependencies of the experts, the meta-requirements and the design principles. The links between the experts and the meta-requirements show on which interviews the meta-requirements were formulated and between the meta-requirements and the design principles the basis for deriving the design principles from the meta-requirements.

emphasizes adaptive learning from community feedback, ensuring artifacts evolve with new data formats and community insights (E1).

**DP6: Automation for Scalability:** *Integrate a high degree of automation in interoperability artifacts to enhance resilience against varying data qualities and formats, establishing a scalable framework.*

**Rationale:** Reflecting MR2, MR3, MR4, and MR5, automation enhances the resilience and scalability of artifacts, managing complexity and fostering future expansion (E6).

Incorporating these principles into interoperability artifacts creates resilient, scalable, and user-friendly dataspace, meeting the demands of an interconnected, data-driven world.

## 5.2 Preliminary Evaluation

We evaluated the DPs as a set, the unit of prescriptive knowledge (Iivari et al., 2021), using Chandra et al.'s (Chandra et al., 2015) framework. The DPs are accessible, using practitioner and domain expert language. They are important, addressing a key pillar of the European Interoperability Framework (Commission, 2023), and provide clear guidance on developing tools for semantic interoperability.

The novelty of providing a comprehensive set of DPs is notable, as no publication currently ad-

dresses tools for enabling semantic interoperability in dataspace. The DPs are actionable, offering quotable quotes from experts, and provide guidance for developers of interoperability tools. The argumentative evaluation suggests the DPs are sufficiently defined and usable for their intended purpose.

Based on the DPs derived in this work, a software artifact was designed in a European-funded project in the mobility domain. This artifact simplifies and standardizes the process of creating semantic descriptions of datasets and data services. This tool is utilized within a project family consisting of over 80 partners, primarily from industry, but also including public sector and research partners.

Initial feedback indicates that the tool enables the creation of meaningful descriptions more easily, allowing subject matter experts and domain experts to perform this task, which brings significant value. Further feedback and additional tests will be collected to enhance the tool's effectiveness and usability.

Further feedback and additional tests will be conducted to gather more insights and improve the tool's functionality and user experience. This iterative feedback loop is crucial for refining the tool and ensuring it meets the evolving needs of the data interoperability landscape.

## 6 CONCLUSION AND FUTURE WORK

In the rapidly evolving landscape of data management and sharing, semantic interoperability is a crucial factor. Integrating different data sources, models, and ontologies is a complex but important task.

**Contributions.** Our study makes a significant contribution to semantic interoperability in dataspace by developing six novel DPs. These principles integrate extensive conceptual and empirical knowledge and are specifically tailored to the requirements of automatic, scalable and resilient semantic interoperability. The DPs are new to semantic interoperability for dataspace and the ability to translate complex theories into practical, actionable guidelines, thus providing significant added value for academic research and practical application in dataspace management. The development of these principles is based on a careful analysis of 31 professional publications and expert interviews, underlining their relevance and applicability in current and future dataspace integration and management scenarios.

**Limitations.** While our research provides directional insights, some limitations need to be considered. Research on dataspace is subject to continuous change, which means that our findings, although current, may require future adjustments. Furthermore, the design principles presented are yet to be practically evaluated in terms of their effectiveness in real-world application scenarios. The qualitative data of our study, obtained through a focus group and expert interviews, offer multiple perspectives but might be shaped by the context of the participants.

**Future Work.** To address these limitations and further develop our research, several avenues are open. An immediate step is the instantiation of the DPs into a working prototype, allowing for practical evaluation. We are establishing a conceptual framework for developing this prototype with a small developer group. Before development, an empirical evaluation with a broader expert group is planned to ensure the effectiveness and practical applicability of the DPs, particularly focusing on their level of abstraction and guidance for practitioners. Another critical area of exploration is the level of integration of interoperability tools within dataspace and the extent of their specialization. Our long-term vision is to develop a universal tool akin to "Translator for data models." However, the efficiency and feasibility of such a universal tool versus more specialized tools require further investigation.

**Conclusion.** While our study makes significant strides in the field of semantic interoperability in

dataspace, it also opens up numerous research opportunities. The dynamic nature of dataspace, the evolving requirements of interoperability tools, and the economic considerations of their implementation all point towards a rich and fertile ground for future research. Developing a practical prototype based on our DPs, followed by empirical evaluation and economic modeling, will be crucial steps in advancing the field and realizing the full potential of semantic interoperability tools in dataspace.

## REFERENCES

- Ardjani, F., Bouchiha, D., and Malki, M. (2015). Ontology-Alignment Techniques: Survey and Analysis. *International Journal of Modern Education and Computer Science*, 7(11):67–78.
- Baskerville, R. L., Baiyere, A., Gregor, S. D., Hevner, A. R., and Rossi, M. (2018). Design science research contributions: Finding a balance between artifact and theory. *Journal of The Association for Information Systems*, 19:3.
- Boukhers, Z., Lange, C., and Beyan, O. (2023). Enhancing Data Space Semantic Interoperability through Machine Learning: A Visionary Perspective. In *Companion Proceedings of the ACM Web Conference 2023*, pages 1462–1467, Austin TX USA. ACM.
- Chandra, Seidel, and Gregor (2015). Prescriptive Knowledge in IS Research: Conceptualizing Design Principles in Terms of Materiality, Action, and Boundary Conditions. In *2015 48th Hawaii International Conference on System Sciences*, pages 4039–4048, HI, USA. IEEE.
- Chandra, Seidel, and Puro (2016). Making Use of Design Principles. In Parsons, J., Tuunanen, T., Venable, J., Donnellan, B., Helfert, M., and Kenneally, J., editors, *Tackling Society's Grand Challenges with Design Science*, volume 9661, pages 37–51. Springer International Publishing, Cham.
- Commission, E. (2023). The European Interoperability Framework in detail | Joinup. <https://bit.ly/3SDMRfP>.
- Curry, E. (2020a). *Dataspace: Fundamentals, Principles, and Techniques*, pages 45–62. Springer International Publishing, Cham.
- Curry, E. (2020b). *Real-Time Linked Dataspace: Enabling Data Ecosystems for Intelligent Systems*. Springer International Publishing, Cham.
- Curry, E., Scerri, S., and Tuikka, T., editors (2022). *Data Spaces: Design, Deployment and Future Directions*. Springer International Publishing, Cham.
- Drees, H., Pretzsch, S., Heinke, B., Wang, D., and Langdon, C. S. (2021). Data Space Mesh: Interoperability of Mobility Data Spaces.
- European Commission (2020). European data strategy. [https://commission.europa.eu/strategy-and-policy/priorities-2019-2024/europe-fit-digital-age/european-data-strategy\\_en](https://commission.europa.eu/strategy-and-policy/priorities-2019-2024/europe-fit-digital-age/european-data-strategy_en).



- Franklin, M., Halevy, A., and Maier, D. (2005). From databases to dataspace: A new abstraction for information management. *ACM SIGMOD Record*, 34(4):27–33.
- Gregor (2006). The Nature of Theory in Information Systems. *MIS Quarterly*, 30(3):611.
- Guggenberger, T. M., Altendeitering, M., and Langdon Schlueter, C. (2024). Design principles for quality scoring-coping with information asymmetry of data products. In *Proceedings of the Hawaii International Conference on System Sciences (HICSS)*.
- Halevy, A., Franklin, M., and Maier, D. (2006). Principles of dataspace systems. In *Proceedings of the Twenty-Fifth ACM SIGMOD-SIGACT-SIGART Symposium on Principles of Database Systems*, pages 1–9, Chicago IL USA. ACM.
- Haslhofer, B. and Klas, W. (2010). A survey of techniques for achieving metadata interoperability. *ACM Computing Surveys*, 42(2):1–37.
- Heiler, S. (1995). Semantic interoperability.
- Hevner, March, Park, and Ram (2004). Design Science in Information Systems Research. *MIS Quarterly*, 28(1):75.
- Hutterer, A., Krumay, B., and Mühlburger, M. (2023). What constitutes a dataspace? Conceptual clarity beyond technical aspects. In *AMCIS 2023 Proceedings*.
- Iivari, J., Rotvit Perlt Hansen, M., and Haj-Bolouri, A. (2021). A proposal for minimum reusability evaluation of design principles. *European Journal of Information Systems*, 30(3):286–303.
- Jabbar, S., Ullah, F., Khalid, S., Khan, M., and Han, K. (2017). Semantic Interoperability in Heterogeneous IoT Infrastructure for Healthcare. *Wireless Communications and Mobile Computing*, 2017:1–10.
- Jones, D. and Gregor, S. (2007). The Anatomy of a Design Theory. *Journal of the Association for Information Systems*, 8(5):312–335.
- Levy and Ellis (2006). A Systems Approach to Conduct an Effective Literature Review in Support of Information Systems Research. *Informing Science: The International Journal of an Emerging Transdiscipline*, 9:181–212.
- Liu, X., Tong, Q., Liu, X., and Qin, Z. (2021). Ontology Matching: State of the Art, Future Challenges, and Thinking Based on Utilized Information. *IEEE Access*, 9:91235–91243.
- Mcadams, D. (2003). Identification and codification of principles for functional tolerance design. *Journal of Engineering Design*, 14(3):355–375.
- Möller, F., Guggenberger, T. M., and Otto, B. (2020). Towards a Method for Design Principle Development in Information Systems. In Hofmann, S., Müller, O., and Rossi, M., editors, *Designing for Digital Transformation. Co-Creating Services with Citizens and Industry*, volume 12388, pages 208–220. Springer International Publishing, Cham.
- Otero-Cerdeira, L., Rodríguez-Martínez, F. J., and Gómez-Rodríguez, A. (2015). Ontology matching: A literature review. *Expert Systems with Applications*, 42(2):949–971.
- Otto, B. (2022). A federated infrastructure for European data spaces. *Communications of the ACM*, 65(4):44–45.
- Otto, B., Ten Hompel, M., and Wrobel, S., editors (2022). *Designing Data Spaces: The Ecosystem Approach to Competitive Advantage*. Springer International Publishing, Cham.
- Ouksel, A. M. and Sheth, A. (1999). Semantic interoperability in global information systems. *ACM SIGMOD Record*, 28(1):5–12.
- Pan, S., Luo, L., Wang, Y., Chen, C., Wang, J., and Wu, X. (2023). Unifying Large Language Models and Knowledge Graphs: A Roadmap.
- Schoormann, T., Behrens, D., Fellmann, M., and Knackstedt, R. (2018). Design Principles for Supporting Rigorous Search Strategies in Literature Reviews. In *2018 IEEE 20th Conference on Business Informatics (CBI)*, pages 99–108, Vienna. IEEE.
- Sein, Henfridsson, Purao, Rossi, and Lindgren (2011). Action Design Research. *MIS Quarterly*, 35(1):37.
- Singh, M. and Jain, S. K. (2011). A Survey on Dataspace. In Wyld, D. C., Wozniak, M., Chaki, N., Meghanathan, N., and Nagamalai, D., editors, *Advances in Network Security and Applications*, volume 196, pages 608–621. Springer Berlin Heidelberg, Berlin, Heidelberg.
- Theissen-Lipp, J., Kocher, M., Lange, C., Decker, S., Paulus, A., Pomp, A., and Curry, E. (2023). Semantics in Dataspaces: Origin and Future Directions. In *Companion Proceedings of the ACM Web Conference 2023*, pages 1504–1507, Austin TX USA. ACM.
- Uschold, M. and Gruninger, M. (2004). Ontologies and semantics for seamless connectivity. *ACM SIGMOD Record*, 33(4):58–64.
- Vom Brocke, J., Simons, A., Riemer, K., Niehaves, B., Platfaut, R., and Cleven, A. (2015). Standing on the Shoulders of Giants: Challenges and Recommendations of Literature Search in Information Systems Research. *Communications of the Association for Information Systems*, 37.
- Wang, H., Liu, C., Xi, N., Qiang, Z., Zhao, S., Qin, B., and Liu, T. (2023). HuaTuo: Tuning LLaMA Model with Chinese Medical Knowledge.
- Wang, Y., Song, S., and Chen, L. (2016). A Survey on Accessing Dataspace. *ACM SIGMOD Record*, 45(2):33–44.
- Webster, J. and Watson, R. T. (2002). Analyzing the past to prepare for the future: Writing a literature review. *MIS Quarterly*, 26(2):xiii–xxiii.
- Wenz, V., Kesper, A., and Taentzer, G. (2021). Detecting Quality Problems in Data Models by Clustering Heterogeneous Data Values.
- Zhang, H., Babar, M. A., and Tell, P. (2011). Identifying relevant studies in software engineering. *Information and Software Technology*, 53(6):625–637.